

# Rittal – The System.

Faster – better – everywhere.

## ▶ 接线箱 KL 不带压盖板 – KL 1500.510

Date : 2022-11-9

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# 接线箱 KL 不带压盖板 – KL 1500.510

created: 09.11.2022 build on www.rittal.com/cn-zh



## 产品描述

**材料:** 箱体：钢板  
箱盖：钢板，周围用发泡聚氨酯塑料 (PU) 密封圈

**表面:** 箱体和箱盖：浸涂底漆，外经粉末涂层，织纹

**颜色:** RAL 7035

**防护等级 IP，符合 IEC 60 529 标准:** IP 66

**防护等级 NEMA:** NEMA 4

**IK 编码:** IK08

**供货范围:** 箱体配有箱盖  
含塑料插口的快换螺纹接口

**基本材料:** 钢板

## 产品描述

**尺寸:** 宽度: 150 mm  
高度: 150 mm  
深度: 120 mm

**材料厚度:** 箱体: 1.25 mm  
箱盖: 1.25 mm

**包装单元:** 1 件

<b>重量/包装:</b>	1.6 kg
<b>EAN:</b>	4028177251120
<b>税率号:</b>	73269098
<b>ETIM 7.0:</b>	EC000261
<b>ETIM 6.0:</b>	EC000261
<b>eCI@ss 8.0/8.1:</b>	27180101
<b>eCI@ss 6.0/6.1:</b>	27180101
<b>产品描述:</b>	KL 接线箱 W150H150D120 RAL7035
<b>认证</b>	
<b>认证:</b>	Bureau Veritas DNV-GL Lloyds Register of Shipping RRR UL + C-UL
<b>证书:</b>	Certificate of manufacturer according to RMRS IK-Code NA 防护等级
<b>声明:</b>	符合性声明