

Rittal – The System.

Faster – better – everywhere.

▶ 接线箱 KL 不带压盖板 – KL 1516.510

Date : 2022-11-9

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



接线箱 KL 不带压盖板 – KL 1516.510

created: 09.11.2022 build on www.rittal.com/cn-zh



产品描述

材料: 箱体：钢板
箱盖：钢板，周围用发泡聚氨酯塑料 (PU) 密封圈

表面: 箱体和箱盖：浸涂底漆，外经粉末涂层，织纹

颜色: RAL 7035

防护等级 IP，符合 IEC 60 529 标准: IP 66

防护等级 NEMA: NEMA 4

IK 编码: IK08

供货范围: 箱体配有箱盖
含塑料插口的快换螺纹接口

基本材料: 钢板

产品描述

尺寸: 宽度: 200 mm
高度: 200 mm
深度: 80 mm

材料厚度: 箱体: 1.25 mm
箱盖: 1.25 mm

包装单元: 1 件

| | |
|------------------------|---|
| 重量/包装: | 1.9 kg |
| EAN: | 4028177251281 |
| 税率号: | 73269098 |
| ETIM 7.0: | EC000261 |
| ETIM 6.0: | EC000261 |
| eCl@ss 8.0/8.1: | 27180101 |
| eCl@ss 6.0/6.1: | 27180101 |
| 产品描述: | KL 接线箱 W200H200D80 RAL7035 |
| 认证 | |
| 认证: | Bureau Veritas DNV-GL Lloyds Register of Shipping RRR UL + C-UL |
| 证书: | Certificate of manufacturer according to RMRS IK-Code NA 防护等级 |
| 声明: | 符合性声明 |